

# Subproject 2: Improving low input Sheep production systems

Hervé Hoste, UMR 1225 INRA/ENVT, Toulouse, FRANCE




Wageningen, 15th March 2011

## SHEEP PRODUCTION in EUROPE




- > 105 millions sheep in EU / 133 millions in Europe (FAO stat 2008)
- Unequal distribution



- > DIVERSITY in:
- Production: Meat /Milk (Wool)
- Breeds (Persistence of local breeds)
- Systems of production : intensive to extensive (Pasture).
- > SIGNS /LABELS OF QUALITY, both for meat and milk products







## **Subproject 2: Objectives**



- 1.To examine the genetics of sheep resistance to abiotic and biotic factors
- 2. To develop integrated methods of control of GI Nematodes
- 3. To examine feeding and breed factors affecting the meat quality



\_

# **Subproject 2: Objectives**



- 2.1 Development of WITHIN BREED SELECTION systems to improve abiotic and biotic stress resistance and performance traits; comparing marker assisted and traditional quantitative genetic selection systems for functional traits.
  - 2.1.1. Phenotyping of Sfakiano sheep for biotic (nematodes, mastitis) and abiotic (heat) stress resistance.

Dr S. Sotiraki (NAGREF) / Collaboration with stakeholders in Creta

2.1.2. Genotyping of sheep breeds used in different macro-climatic zones of Europe (Greece, Switzerland, France, and NZ)

Dr S. Sotiraki (NAGREF), Dr V Maurer, F Heckendorn and S. Werne (FiBL), Dr H. Hoste and S. Prache (INRA); Pr J. Hickford (Lincoln Univ.)











## **Subproject 2: Objectives**



## 2.2 Development of improved ENDOPARASITE MANAGEMENT

STRATEGIES based on integrating: (a) feed supplementation with tannin rich (TR) forages; (b) strategic use of clean pastures and/or (c) the use of parasite tolerant breeds.

#### 2.2.1 CONTROLLED STUDIES:

Quantification of (a) condensed tannin profiles in TR-forages and concentrate feeds, (b) 'in vitro' and 'in vivo' anthelmintic (AH) activity and (c) the potential contribution of non-tannin compounds to AH activity.

#### 2.2.2 FIELD TRIALS (Mediterranean production systems):

Effects of (and interaction between) (a) different TR feeding regimes and (b) Sfakiano sheep genotypes on animal health, yield and product quality.

#### 2.2.3 FIELD TRIALS (Mountainous/Alpine production systems):

Effects of (and interaction between) (a) different TR feeding regimes (b) grazing regimes and (c) different sheep genotypes on animal health, yield and product quality









7

# **Subproject 2: Objectives**



- 2.3 Development of strategies to improve LAMB MEAT QUALITY in sheep production systems based on optimising
  - (a) TF feed supplements
  - (b) grazing regimes and/or
  - (c) the use of stress tolerant breed

### 2.3.1 FIELD TRIALS and LABORATORY STUDIES

Effects of (and interaction between) using (a) robust breeds/genotypes (b) TF-feed supplementation and (c) different grazing regimes on carcass and meat quality (including samples from trials under WP2.2.).

- Two studies in mountainous conditions (INRA Clermont Ferrand) S. Prache, J. Ballet)
  (FiBL V. Maurer, F Heckendorn and S Werne)
- One study in Mediterranean conditions (Univ Catania) A Priollo, V. Vasta











The authors gratefully acknowledge co-funding from the European Commission, under the Seventh Framework Programme for Research and Technological Development, for the Collaborative Project LowInputBreeds (Grant agreement No 222623)

